

Osteoporosis International – artykuły dostępne za darmo

Zachęcamy do zapoznania się z dostępnymi nieodpłatnie artykułami I numeru 2016 czasopisma Osteoporosis International.

W styczniowym numerze dostępne są następujące artykuły:

Treatment of osteoporosis after alendronate or risedronate

P. Eiken, P. Vestergaard

Does salmon calcitonin cause cancer? A review and meta-analysis

G. Wells, J. Chernoff, J. P. Gilligan, D. S. Krause

Response of bone turnover markers to three oral bisphosphonate therapies in postmenopausal osteoporosis: the TRIO study

K. E. Naylor, R. M. Jacques, M. Paggiosi, F. Gossiel...

Bone remodeling markers: so easy to measure, so difficult to interpret

E. Seeman, T. V. Nguyen

Bone turnover markers: response to comments by Seeman and Nguyen

K. E. Naylor, R. M. Jacques, M. Paggiosi, F. Gossiel...

Bone status in glucocorticoid-treated men and women

E. S. Leib, R. Winzenrieth

The utility of lumbar spine trabecular bone score and femoral neck bone mineral density for identifying asymptomatic vertebral fractures in well-compensated type 2 diabetic patients

V. V. Zhukouskaya, C. Ellen-Vainicher, A. Gaudio...

Serotonergic antidepressant use and the risk of fracture: a population-based nested case-control study

C.-Y. Wang, S.-H. Fu, C.-L. Wang, P.-J. Chen, F.-L. L. Wu...

Patients do not have a consistent understanding of high risk for future fracture: a qualitative study of patients from a post-fracture secondary prevention program

J. E. M. Sale, M. A. Gignac, G. Hawker, D. Beaton, L. Frankel...

Comorbidity indices for clinical trials: adaptation of two existing indices for use with the FREEDOM trial in women with postmenopausal osteoporosis

S. L. Silverman, A. Wang, L. Cheng, Y. Yang, C. Libanati...

Zoledronic acid in children with osteogenesis imperfecta and Bruck syndrome: a 2-year prospective observational study

G. A. Otaify, M. S. Aglan, M. M. Ibrahim, M. Elnashar...

Alkaline biodegradable implants for osteoporotic bone defects-importance of microenvironment pH

W. Liu, T. Wang, C. Yang, B. W. Darvell, J. Wu, K. Lin...

Serum 25-hydroxyvitamin D, parathyroid hormone, calcium intake, and bone mineral density in Spanish adults

J. M. Olmos, J. L. Hernández, P. García-Velasco, J. Martínez...

Relationship between subclinical thyroid dysfunction and the risk of fracture: a meta-analysis

of prospective cohort studies

Z. Yan, H. Huang, J. Li, J. Wang

Trabecular bone score in type 1 diabetes—a cross-sectional study

T. Neumann, S. Lodes, B. Kästner, T. Lehmann, D. Hans...

Evidence of a link between resting energy expenditure and bone remodelling, glucose homeostasis and adipokine variations in adolescent girls with anorexia nervosa

L. Maïmoun, S. Guillaume, P. Lefebvre, P. Philibert...

Effect of IV contrast on lumbar trabecular attenuation at routine abdominal CT: correlation with DXA and implications for opportunistic osteoporosis screening

P. J. Pickhardt, T. Lauder, B. D. Pooler, A. Muñoz del Rio...

Abnormal subchondral bone microstructure following steroid administration is involved in the early pathogenesis of steroid-induced osteonecrosis

L. Wang, L. Zhang, H. Pan, S. Peng, X. Zhao, W. W. Lu

Myostatin deficiency partially rescues the bone phenotype of osteogenesis imperfecta model mice

A. K. Oestreich, S. M. Carleton, X. Yao, B. A. Gentry...

Low serum 25-hydroxyvitamin D is associated with increased risk of stress fracture during Royal Marine recruit training

T. Davey, S. A. Lanham-New, A. M. Shaw, B. Hale, R. Cobley...

Effect of whole-body vibration training on bone mass in adolescents with and without Down syndrome: a randomized controlled trial

A. Matute-Llorente, A. González-Agüero, A. Gómez-Cabello...

Cost-effectiveness of vitamin D supplementation and exercise in preventing injurious falls among older home-dwelling women: findings from an RCT

R. Patil, P. Kolu, J. Raitanen, J. Valvanne, P. Kannus...

Fracture prediction from repeat BMD measurements in clinical practice

W. D. Leslie, S. L. Brennan-Olsen, S. N. Morin, L. M. Lix

Strontium ranelate as an adjuvant for fracture healing: clinical, radiological, and ultrasound findings in a randomized controlled study on wrist fractures

M. Scaglione, L. Fabbri, F. Casella, G. Guido

Diabetes mellitus and risk of hip fractures: a meta-analysis

Y. Fan, F. Wei, Y. Lang, Y. Liu

Meta-analysis of diabetes mellitus and risk of hip fractures: small-study effect

M. Nazarzadeh, Z. Bidel, A. Sanjari Moghaddam

Cost-effectiveness of a fracture liaison service—a real-world evaluation after 6 years of service provision

J. H. E. Yong, L. Masucci, J. S. Hoch, R. Sujic, D. Beaton

Evaluation of a simplified hip structure analysis method for the prediction of incident hip fracture events

B. C. C. Khoo, J. R. Lewis, K. Brown, R. L. Prince

Smoking, smoking cessation, and fracture risk in elderly women followed for 10 years

M. H. Thorin, A. Wihlborg, K. Åkesson, P. Gerdhem

Association between prolonged breastfeeding and bone mineral density and osteoporosis in postmenopausal women: KNHANES 2010-2011

I. R. Hwang, Y. K. Choi, W. K. Lee, J. G. Kim, I. K. Lee...

FRAX predicts incident falls in elderly men: findings from MrOs Sweden

N. C. Harvey, H. Johansson, A. Odén, M. K. Karlsson...

Prevalence of sarcopenic obesity in Germany using established definitions

W. Kemmler, S. von Stengel, K. Engelke, C. Sieber...

Sclerostin-antibody treatment of glucocorticoid-induced osteoporosis maintained bone mass and strength

W. Yao, W. Dai, L. Jiang, E. Y.-A. Lay, Z. Zhong...

The use of bisphosphonate in the treatment of osteonecrosis of the femoral head: a meta-analysis of randomized control trials

H.-f. Yuan, C.-a. Guo, Z.-q. Yan

Cost-effectiveness of personalized supplementation with vitamin D-rich dairy products in the prevention of osteoporotic fractures

O. Ethgen, M. Hiligsmann, N. Burlet, J.-Y. Reginster

Morning vs evening dosing of the cathepsin K inhibitor ONO-5334: effects on bone resorption in postmenopausal women in a randomized, phase 1 trial

R. Eastell, D.-J. Dijk, M. Small, A. Greenwood, J. Sharpe...

Parity and osteoporotic fracture risk in postmenopausal women: a dose-response meta-analysis of prospective studies

Q. Wang, Q. Huang, Y. Zeng, J.-j. Liang, S.-y. Liu, X. Gu...

Clinical utility of routine laboratory testing to identify possible secondary causes in older men with osteoporosis: the Osteoporotic Fractures in Men (MrOS) Study

H. A. Fink, S. Litwack-Harrison, B. C. Taylor, D. C. Bauer...

Proton-pump inhibitors and risk of fractures: an update meta-analysis

B. Zhou, Y. Huang, H. Li, W. Sun, J. Liu

Calcium, proton pump inhibitors, and fracture risk

T. Sugiyama, T. Torio, T. Miyajima, Y. T. Kim, H. Oda

Effects of switching weekly alendronate or risedronate to monthly minodronate in patients with rheumatoid arthritis: a 12-month prospective study

K. Ebina, T. Noguchi, M. Hirao, J. Hashimoto, S. Kaneshiro...

Hip fractures, preceding distal radius fractures and screening for osteoporosis: should we be screening earlier? A minimum 10-year retrospective cohort study at a single centre

Z. J. Daruwalla, S. S. Huq, K. L. Wong, P. Y. Nee...

Calcium plus vitamin D supplementation and risk of fractures: an updated meta-analysis from

the National Osteoporosis Foundation

C. M. Weaver, D. D. Alexander, C. J. Boushey...

A phase 2 study of MK-5442, a calcium-sensing receptor antagonist, in postmenopausal women with osteoporosis after long-term use of oral bisphosphonates

F. Cosman, N. Gilchrist, M. McClung, J. Foldes...

Antiresorptive therapy and risk of mortality and refracture in osteoporosis-related hip fracture: a nationwide study

W. Brozek, B. Reichardt, J. Zwerina, H. P. Dimai...

Hyponatremia and hypernatremia are associated with increased 30-day mortality in hip fracture patients

C. M. Madsen, C. Jantzen, J. B. Lauritzen, B. Abrahamsen...

Denosumab increases sublesional bone mass in osteoporotic individuals with recent spinal cord injury

L. Gifre, J. Vidal, J. L. Carrasco, A. Muxi, E. Portell...

Towards better use of the net reclassification improvement (NRI) index

W. D. Leslie, J. T. Schousboe, L. M. Lix

The real enemy is fragility fracture, not osteoporosis

C. E. Uzoigwe

A BMD threshold for treatment efficacy in osteoporosis? A need to consider the whole evidence base

E. McCloskey

Erratum to: The utility of lumbar spine trabecular bone score and femoral neck bone mineral density for identifying asymptomatic vertebral fractures in well-compensated type 2 diabetic patients

V. V. Zhukouskaya, C. Eller-Vainicher, A. Gaudio...

Pełna treść artykułów dostępna jest pod adresem [www.](#)